



## **MATERIAL SAFETY DATA SHEET**

**Premiere Concrete Admixtures**  
**508 Cedar Street**  
**Pioneer, OH 43554**  
**419-737-9808**

**24 Hour Emergency Contact**  
**CHEMTREC 800-424-9300**

### **Section I - PRODUCT IDENTITY: *ConAir® 260***

CAS# Proprietary Mixture

Common Name: Air Entraining Concrete Admixture

### **Section II - HAZARDOUS INGREDIENTS:**

Material:	CAS#	TLV	STEL	PEL	CONTENT
Sodium Hydroxide	1310-73-2	None	None	None	< 1%

### **Section III - PHYSICAL CHARACTERISTICS:**

N/Av = Not Available N/Ap = Not Applicable ca. = Approximate

Boiling Point F° (°C): 212 (100)

Freezing Point F° (°C): 32 (0)

VOC (w/w): 0%

Solubility in Water: 100%

Specific Gravity: 1.010 – 1.030

Appearance: Clear brown liquid

pH: 9.5 – 13.5

Odor: Typical

### **Section IV - FIRE AND EXPLOSION HAZARD DATA:**

HMIS Hazard Rating: 0 (Minimal)

Flash Point: Non-flammable Method: Not Applicable

Auto-Ignition Temperature: Not Applicable

Limits of Flammability: LEL: Not Applicable UEL: Not Applicable

Special Fire & Unusual Hazards: None known

Extinguishing Media: This material does not give a flash point by conventional test methods, use extinguishing agent suitable for type of surrounding fire.

### **Section V - REACTIVITY DATA:**

HMIS Hazard Rating: 0 (Minimal)

Stability: Stable. Not sensitive to mechanical impact.

Incompatibility: Strong mineral acids.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition Products: (After water has evaporated.) Oxides of Carbon, Nitrogen and Sulfur

### **Section VI - HEALTH HAZARD DATA:**

HMIS Hazard Rating: 1 (Slight)

PRIMARY ROUTE OF ENTRY: Dermal, Eyes

#### **Effects of Overexposure**

Inhalation: At room temperature, exposures to vapors are unlikely due to physical properties.

Eyes: May cause slight transient irritation.

Skin Contact: Prolonged or repeated skin contact tends to remove skin oils possibly leading to irritation and dermatitis.

Skin Absorption: Not expected to be absorbed through the skin in sufficient quantities to increase overall toxicity.

Ingestion: Amounts ingested, incidental to industrial handling, are not expected to cause injury.

Chronic: Product does not contain carcinogenic materials as defined by 29 CFR 1910.1200.

**Section VII - FIRST AID:**

Inhalation: Remove victim from exposure. If difficulty with breathing, administer oxygen. If breathing has stopped administer artificial respiration. Seek medical attention.

Eyes: Flush eyes with water, lifting upper and lower lids occasionally for 15 minutes. Seek medical attention.

Skin: Remove contaminated clothing. Wash thoroughly with soap and water. If irritation persists seek medical attention. Wash contaminated clothing before reuse.

Ingestion: Contact physician or call Poison Control Center immediately. Do **NOT** give anything by mouth to an unconscious person.

**Section VIII - SPECIAL PROTECTION INFORMATION:**

Ventilation: Ventilation is generally not required.

Personal Protection Equipment: Use chemical goggles/safety glasses with side shields and Rubber/Latex gloves. Selection of specific items such as boots and apron will depend on operation.

**Section IX - ENVIRONMENTAL & DISPOSAL INFORMATION:**

Action to Take for Spills/Leaks: Wear appropriate protective equipment. Take action to eliminate source of leak; contain spill by diking; vacuum up liquid or use absorbent media; remove to storage for disposal and rinse residual stain with water.

Waste Disposal Method: Dispose in accordance with local, provincial, state and federal regulations

**Section X - REGULATORY INFORMATION:**

Title III Section 302: No reportable chemicals.

Title III Section 311/312: Health hazard: None Physical hazard: None

Title III Section 313: None above deminimis.

TSCA: All components of this product are included in the EPA Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

State: California: No reportable chemicals

**Section XI - TRANSPORTATION INFORMATION:**

Shipping Name: NOT REGULATED

Emergency Response Guide Page No.: NOT REGULATED

DOT Reportable Quantity: NO REPORTABLE CHEMICALS

Marine Pollutant: NL


P = Moderate PP = Severe WS = Water Sheen NL = Not Listed ND = Not Determined

**Section XII - ADDITIONAL INFORMATION:**

Average Shelf Life: 18 months

Special Instructions: Keep from freezing

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of Premiere Concrete Admixtures' knowledge, or is obtained from sources believed by Premiere Concrete Admixtures to be accurate. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof. Premiere Concrete Admixtures assumes no responsibility for injuries proximately caused by use of the Material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, Premiere Concrete Admixtures assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the Material.



# Material Safety Data Sheet

This MSDS complies with OSHA's Hazard Communication Standard, 29 CFR 1910.1200 and OSHA FORM 174.  
OMB No. 1218-0072

Identity (Trade Name As Used On Label)

## SECTION 1 - COMPANY/PRODUCT

Manufacturer's Name: Environmental Manufacturing Solutions, L.L.C.  
Address: 7705 Progress Circle  
Melbourne, Florida 32904  
Phone Number (For Information): 321-837-0050  
Emergency Phone Number: (Chemtrec) 800-424-9300

**IDENTITY:** BARRACUDA 10K  
**CAUSE FOR MSDS:** EPA, DfE Formula

MSDS Number: N/A  
Date Prepared: Revised 06/01/09

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

## SECTION 2 - HAZARD INGREDIENTS/IDENTITY INFORMATION

COMPONENTS - Chemical Name & Component Names (Hazardous Components 1% or greater. Carcinogens 1% or	OSHA PEL	ACGIH TLV	OTHER LIMIT RECOMMENDED
NONE AS PER 29CFR Part 1910.1200. PROPRIETARY TRADE SECRET PERMITTED	N/A	N/A	N/A
Non-Pollutant/Non-Regulated as per Chapter 62-761 F.A.C.			
NON-HAZARDOUS / NON DOT-REGULATED as per 49CFR 173.154(d)(1).			
See Section-- Federal Register Vol. 48 No. 228 Nov. 25, 1983 Rules & Regulations			

## SECTION 3 - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point 212 ± 5° F	Specified Gravity ( H <sub>2</sub> O = 1) 1.12 ± 0.02
Vapor Pressure (mm Hg.) N/A	Melting Point N/A
Vapor Density N/A	Evaporation Rate (Butyl Acetate = 1) N/A
Solubility In Water Soluble	Appearance and Odor Dark amber/light brown, mild odor

## SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used) Does not ignite	Flammable Does not ignite	LEL N/A
Extinguisher Media None	Special Fire Fighting None	UEL N/A
Unusual Fire and Explosion None expected		

## SECTION 5 - REACTIVITY DATA

STABILITY Stable at normal temperatures and operating conditions.
CONDITIONS TO AVOID: Extreme conditions
Incompatibility (Materials to Avoid) Do not mix with strong oxidizing agents
Hazardous Decomposition or Byproducts None known
HAZARDOUS POLYMERIZATION: Will Not Occur
CONDITIONS TO AVOID: None Known

## SECTION 6 - HEALTH HAZARD DATA

ROUTE(S) OF	Inhalation	No	Skin?	No	Ingestion?	Yes
-------------	------------	----	-------	----	------------	-----

HEALTH HAZARDS (*Acute and Chronic*) May irritate eyes if contact is made. May cause gastrointestinal irritation which may include nausea, vomiting, diarrhea, and abdominal discomfort. Do not induce vomiting. Drink plenty of water and seek medical attention.

CARCINOGENICITY	NTP?	No	IARC	No	OSHA	No
-----------------	------	----	------	----	------	----

SIGNS AND SYMPTOMS OF None Known. SEE HEALTH HAZARDS

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY None Known

EMERGENCY AND FIRST AID Skin: Remove contaminated clothing, wash with soap and water. Ingestion: Drink plenty of water and consult a physician.

Do not induce vomiting Eyes: Flush with water for at least 15 minutes or until irritation subsides.

## SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled Spilled material should be washed away promptly with copious amounts of water.

Product material neutralizes with sufficient volumes of water.

Waste Disposal Method As with any material to be discarded, dispose of in accordance with Federal, State and Local regulations and laws

If possible, recycle used containers

Precautions to Be Taken in Handling and Storing Keep away from incompatible materials and avoid extreme conditions. Keep lid closed to avoid contamination.

As with any chemical use appropriate precautions when choosing where and how to store the product.

Other None Known

## SECTION 8 - Control Measures

Respiratory Protection (*Specify Type*) None required under normal use conditions.

Ventilation Normal ventilation is generally adequate

Local N/A

Special N/A

Other N/A

Mechanical(*General*) N/A

Protective Gloves N/A

Eye Protection Chemical goggles or suitable safety glasses are suggested for use.

Other Protective Clothing or Equipment N/A

Work/Hygienic Practices None Known. Please use good common sense in any work environment



## **MATERIAL SAFETY DATA SHEET**

**Premiere Concrete Admixtures**  
**508 Cedar Street**  
**Pioneer, OH 43554**  
**419-737-9808**

**24 Hour Emergency Contact**  
**CHEMTREC 800-424-9300**

### **Section I - PRODUCT IDENTITY: *NitroCast® K***

CAS# Proprietary Mixture

Common Name: Non-Chloride Water Reducing and Accelerating Concrete Admixture

### **Section II - HAZARDOUS INGREDIENTS:**

Material:	CAS#	TLV	STEL	PEL	CONTENT
-----------	------	-----	------	-----	---------

### **Section III - PHYSICAL CHARACTERISTICS:**

N/Av = Not Available N/Ap = Not Applicable ca. = Approximate

Boiling Point F° (°C): 212 (100)

Freezing Point F° (°C): 20 (-7)

VOC (w/w): 0%

Solubility in Water: 100%

Specific Gravity: 1.40

Appearance: Clear brown liquid

pH: 2.5 – 5.5

Odor: Pungent

### **Section IV - FIRE AND EXPLOSION HAZARD DATA:**

HMIS Hazard Rating:

0 (Minimal)

Flash Point:

Non-flammable Method: Not Applicable

Auto-Ignition Temperature:

Not Applicable

Limits of Flammability:

LEL: Not Applicable UEL: Not Applicable

Special Fire & Unusual Hazards:

None known

Extinguishing Media: This material does not give a flash point by conventional test methods, use extinguishing agent suitable for type of surrounding fire.

### **Section V - REACTIVITY DATA:**

HMIS Hazard Rating:

0 (Minimal)

Stability:

Stable. Not sensitive to mechanical impact.

Incompatibility:

Strong mineral acids.

Hazardous Polymerization:

Will not occur.

Hazardous Decomposition Products: (After water has evaporated.) Oxides of Carbon, Nitrogen and Sulfur

### **Section VI - HEALTH HAZARD DATA:**

HMIS Hazard Rating:

1 (Slight)

PRIMARY ROUTE OF ENTRY:

Dermal, Eyes

#### **Effects of Overexposure**

Inhalation: At room temperature, exposures to vapors are unlikely due to physical properties.

Eyes: May cause slight transient irritation.

Skin Contact: Prolonged or repeated skin contact tends to remove skin oils possibly leading to irritation and dermatitis.

Skin Absorption: Not expected to be absorbed through the skin in sufficient quantities to increase overall toxicity.

Ingestion: Amounts ingested, incidental to industrial handling, are not expected to cause injury.

Chronic: Product does not contain carcinogenic materials as defined by 29 CFR 1910.1200.

**Section VII - FIRST AID:**

**Inhalation:** Remove victim from exposure. If difficulty with breathing, administer oxygen. If breathing has stopped administer artificial respiration. Seek medical attention.

**Eyes:** Flush eyes with water, lifting upper and lower lids occasionally for 15 minutes. Seek medical attention.

**Skin:** Remove contaminated clothing. Wash thoroughly with soap and water. If irritation persists seek medical attention. Wash contaminated clothing before reuse.

**Ingestion:** Contact physician or call Poison Control Center immediately. Do **NOT** give anything by mouth to an unconscious person.

**Section VIII - SPECIAL PROTECTION INFORMATION:**

**Ventilation:** Ventilation is generally not required.

**Personal Protection Equipment:** Use chemical goggles/safety glasses with side shields and Rubber/Latex gloves. Selection of specific items such as boots and apron will depend on operation.

**Section IX - ENVIRONMENTAL & DISPOSAL INFORMATION:**

**Action to Take for Spills/Leaks:** Wear appropriate protective equipment. Take action to eliminate source of leak; contain spill by diking; vacuum up liquid or use absorbent media; remove to storage for disposal and rinse residual stain with water.

**Waste Disposal Method:** Dispose in accordance with local, provincial, state and federal regulations

**Section X - REGULATORY INFORMATION:**

**Title III Section 302:** No reportable chemicals.

**Title III Section 311/312:** Health hazard: None Physical hazard: None

**Title III Section 313:** None above de minimis.

**TSCA:** All components of this product are included in the EPA Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**State:** California: No reportable chemicals

**Section XI - TRANSPORTATION INFORMATION:**

Shipping Name: NOT REGULATED

Emergency Response Guide Page No.: NOT REGULATED

DOT Reportable Quantity: NO REPORTABLE CHEMICALS

Marine Pollutant: NL

P = Moderate PP = Severe WS = Water Sheen NL = Not Listed ND = Not Determined

**Section XII - ADDITIONAL INFORMATION:**

Average Shelf Life: 18 months

Special Instructions: Keep from freezing

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of Premiere Concrete Admixtures' knowledge, or is obtained from sources believed by Premiere Concrete Admixtures to be accurate. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof. Premiere Concrete Admixtures assumes no responsibility for injuries proximately caused by use of the Material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, Premiere Concrete Admixtures assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the Material.

Date Prepared: January 1, 2009

Prepared by: Department of Environmental, Health and Safety



## MATERIAL SAFETY DATA SHEET

**Premiere Concrete Admixtures**  
**508 Cedar Street**  
**Pioneer, OH 43554**  
**419-737-9808**

**24 Hour Emergency Contact**  
**CHEMTREC 800-424-9300**

### Section I - PRODUCT IDENTITY: *OptiFlo*® 500

CAS# Proprietary Mixture

Common Name: Normal Range Water-Reducing and Retarding Concrete Admixture

### Section II - HAZARDOUS INGREDIENTS:

Material:	CAS#	TLV	STEL	PEL	CONTENT
Triethanolamine	102-71-6	None	None	None	< 10%

### Section III - PHYSICAL CHARACTERISTICS:

N/Av = Not Available N/Ap = Not Applicable ca. = Approximate

Boiling Point F° (°C): 212 (100)

Freezing Point F° (°C): 32 (0)

VOC (w/w): 0%

Solubility in Water: 100%

Specific Gravity: 1.14 – 1.20

Appearance: Dark brown liquid

pH: 7.0 – 11.0

Odor: Musty

### Section IV - FIRE AND EXPLOSION HAZARD DATA:

HMIS Hazard Rating:

0 (Minimal)

Flash Point:

Non-flammable Method: Not Applicable

Auto-Ignition Temperature:

Not Applicable

Limits of Flammability:

LEL: Not Applicable UEL: Not Applicable

Special Fire & Unusual Hazards:

None known

Extinguishing Media: This material does not give a flash point by conventional test methods, use extinguishing agent suitable for type of surrounding fire.

### Section V - REACTIVITY DATA:

HMIS Hazard Rating:

0 (Minimal)

Stability:

Stable. Not sensitive to mechanical impact.

Incompatibility:

Strong mineral acids.

Hazardous Polymerization:

Will not occur.

Hazardous Decomposition Products: (After water has evaporated.) Oxides of Carbon, Nitrogen and Sulfur

### Section VI - HEALTH HAZARD DATA:

HMIS Hazard Rating:

1 (Slight)

PRIMARY ROUTE OF ENTRY:

Dermal, Eyes

#### **Effects of Overexposure**

Inhalation: At room temperature, exposures to vapors are unlikely due to physical properties.

Eyes: May cause slight transient irritation.

Skin Contact: Prolonged or repeated skin contact tends to remove skin oils possibly leading to irritation and dermatitis.

Skin Absorption: Not expected to be absorbed through the skin in sufficient quantities to increase overall toxicity.

Ingestion: Amounts ingested, incidental to industrial handling, are not expected to cause injury.

Chronic: Product does not contain carcinogenic materials as defined by 29 CFR 1910.1200.

**Section VII - FIRST AID:**

**Inhalation:** Remove victim from exposure. If difficulty with breathing, administer oxygen. If breathing has stopped administer artificial respiration. Seek medical attention.

**Eyes:** Flush eyes with water, lifting upper and lower lids occasionally for 15 minutes. Seek medical attention.

**Skin:** Remove contaminated clothing. Wash thoroughly with soap and water. If irritation persists seek medical attention. Wash contaminated clothing before reuse.

**Ingestion:** Contact physician or call Poison Control Center immediately. Do **NOT** give anything by mouth to an unconscious person.

**Section VIII - SPECIAL PROTECTION INFORMATION:**

**Ventilation:** Ventilation is generally not required.

**Personal Protection Equipment:** Use chemical goggles/safety glasses with side shields and Rubber/Latex gloves. Selection of specific items such as boots and apron will depend on operation.

**Section IX - ENVIRONMENTAL & DISPOSAL INFORMATION:**

**Action to Take for Spills/Leaks:** Wear appropriate protective equipment. Take action to eliminate source of leak; contain spill by diking; vacuum up liquid or use absorbent media; remove to storage for disposal and rinse residual stain with water.

**Waste Disposal Method:** Dispose in accordance with local, provincial, state and federal regulations

**Section X - REGULATORY INFORMATION:**

**Title III Section 302:** No reportable chemicals.

**Title III Section 311/312:** Health hazard: None Physical hazard: None

**Title III Section 313:** None above de minimis.

**TSCA:** All components of this product are included in the EPA Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**State:** California: No reportable chemicals

**Section XI - TRANSPORTATION INFORMATION:**

Shipping Name: NOT REGULATED

Emergency Response Guide Page No.: NOT REGULATED

DOT Reportable Quantity: NO REPORTABLE CHEMICALS

Marine Pollutant: NL

P = Moderate PP = Severe WS = Water Sheen NL = Not Listed ND = Not Determined

**Section XII - ADDITIONAL INFORMATION:**

Average Shelf Life: 18 months

Special Instructions: Keep from freezing

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of Premiere Concrete Admixtures' knowledge, or is obtained from sources believed by Premiere Concrete Admixtures to be accurate. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof. Premiere Concrete Admixtures assumes no responsibility for injuries proximately caused by use of the Material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, Premiere Concrete Admixtures assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the Material.

**Date Prepared: January 1, 2009**

**Prepared by: Department of Environmental, Health and Safety**



## MATERIAL SAFETY DATA SHEET

**Premiere Concrete Admixtures**  
**508 Cedar Street**  
**Pioneer, OH 43554**  
**419-737-9808**

**24 Hour Emergency Contact**  
**CHEMTREC 800-424-9300**

### Section I - PRODUCT IDENTITY: *OptiFlo® PLUS*

CAS# Proprietary Mixture

Common Name: Mid Range Water-Reducing Concrete Admixture

### Section II - HAZARDOUS INGREDIENTS:

Material:	CAS#	TLV	STEL	PEL	CONTENT
Triethanolamine	102-71-6	None	None	None	< 10%

### Section III - PHYSICAL CHARACTERISTICS:

N/Av = Not Available N/Ap = Not Applicable ca. = Approximate

Boiling Point F° (°C): 212 (100)

Freezing Point F° (°C): 32 (0)

VOC (w/w): 0%

Solubility in Water: 100%

Specific Gravity: 1.20 - 1.28

Appearance: Dark brown liquid

pH: 7.0 - 11.0

Odor: Musty

### Section IV - FIRE AND EXPLOSION HAZARD DATA:

HMIS Hazard Rating:

0 (Minimal)

Flash Point:

Non-flammable Method: Not Applicable

Auto-Ignition Temperature:

Not Applicable

Limits of Flammability:

LEL: Not Applicable UEL: Not Applicable

Special Fire & Unusual Hazards:

None known

Extinguishing Media: This material does not give a flash point by conventional test methods, use extinguishing agent suitable for type of surrounding fire.

### Section V - REACTIVITY DATA:

HMIS Hazard Rating:

0 (Minimal)

Stability:

Stable. Not sensitive to mechanical impact.

Incompatibility:

Strong mineral acids.

Hazardous Polymerization:

Will not occur.

Hazardous Decomposition Products: (After water has evaporated.) Oxides of Carbon, Nitrogen and Sulfur

### Section VI - HEALTH HAZARD DATA:

HMIS Hazard Rating:

1 (Slight)

PRIMARY ROUTE OF ENTRY:

Dermal, Eyes

#### **Effects of Overexposure**

Inhalation: At room temperature, exposures to vapors are unlikely due to physical properties.

Eyes: May cause slight transient irritation.

Skin Contact: Prolonged or repeated skin contact tends to remove skin oils possibly leading to irritation and dermatitis.

Skin Absorption: Not expected to be absorbed through the skin in sufficient quantities to increase overall toxicity.

Ingestion: Amounts ingested, incidental to industrial handling, are not expected to cause injury.

Chronic: Product does not contain carcinogenic materials as defined by 29 CFR 1910.1200.

**Section VII - FIRST AID:**

Inhalation: Remove victim from exposure. If difficulty with breathing, administer oxygen. If breathing has stopped administer artificial respiration. Seek medical attention.

Eyes: Flush eyes with water, lifting upper and lower lids occasionally for 15 minutes. Seek medical attention.

Skin: Remove contaminated clothing. Wash thoroughly with soap and water. If irritation persists seek medical attention. Wash contaminated clothing before reuse.

Ingestion: Contact physician or call Poison Control Center immediately. Do **NOT** give anything by mouth to an unconscious person.

**Section VIII - SPECIAL PROTECTION INFORMATION:**

Ventilation: Ventilation is generally not required.

Personal Protection Equipment: Use chemical goggles/safety glasses with side shields and Rubber/Latex gloves. Selection of specific items such as boots and apron will depend on operation.

**Section IX - ENVIRONMENTAL & DISPOSAL INFORMATION:**

Action to Take for Spills/Leaks: Wear appropriate protective equipment. Take action to eliminate source of leak; contain spill by diking; vacuum up liquid or use absorbent media; remove to storage for disposal and rinse residual stain with water.

Waste Disposal Method: Dispose in accordance with local, provincial, state and federal regulations

**Section X - REGULATORY INFORMATION:**

Title III Section 302: No reportable chemicals.

Title III Section 311/312: Health hazard: None Physical hazard: None

Title III Section 313: None above deminimis.

TSCA: All components of this product are included in the EPA Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

State: California: No reportable chemicals

**Section XI - TRANSPORTATION INFORMATION:**

Shipping Name: NOT REGULATED

Emergency Response Guide Page No.: NOT REGULATED

DOT Reportable Quantity: NO REPORTABLE CHEMICALS

Marine Pollutant: NL

P = Moderate PP = Severe WS = Water Sheen NL = Not Listed ND = Not Determined

**Section XII - ADDITIONAL INFORMATION:**

Average Shelf Life: 18 months

Special Instructions: Keep from freezing

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of Premiere Concrete Admixture’s knowledge, or is obtained from sources believed by Premiere Concrete Admixtures to be accurate. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof. Premiere Concrete Admixtures assumes no responsibility for injuries proximately caused by use of the Material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, Premiere Concrete Admixtures assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the Material.

Date Prepared: January 1, 2009

Prepared by: Department of Environmental, Health and Safety